

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	84	(@rlad<"20030801" or @ad<"20030801") and ((sniff \$3 probe probing discover\$3 enquir\$3) with (authenticat \$3 adj5 protocol))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/11/14 15:43
L2	23	(@rlad<"20030801" or @ad<"20030801") and ((sniff \$3 probe probing discover\$3 enquir\$3) with (authenticat \$3 adj5 protocol)) and (limited adj3 access)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/11/14 15:44
L3	31	(@rlad<"20030801" or @ad<"20030801") and ((sniff \$3 prob\$3 discover\$3 enquir \$3) with (authenticat\$3 adj5 protocol)) and (limited adj3 access)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/11/14 15:44
L4	190	kwan near3 ("p" philip)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/11/14 15:45
L5	1	kwan near3 ("p" philip) and (fondry brocade inrange mcddata)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/11/14 15:47
S1	1	"20050025125"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/17 10:12
S2	135	(multiple adj access) and 370/463.ccls. and (@rlad<"20030801" or @ad<"20030801")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/17 10:46
S3	40	(multiple adj access) and 370/317.ccls. and (@rlad<"20030801" or @ad<"20030801")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/16 14:33
S4	13	(multiple adj access) and (@rlad<"20030801" or @ad<"20030801") and vlan and "802.1" and voip and internet	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/16 14:39
S5	13	(multiple adj access) and (@rlad<"20030801" or @ad<"20030801") and vlan and "802.1" and voip and internet and authenticat\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/16 14:46

S6	1	(multiple adj access) and (@rlad<"20030801" or @ad<"20030801") and vlan and "802.1x" and voip and internet and authenticat\$3 and wlan	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/16 15:12
S7	9	"60387330"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/16 15:01
S8	2	"20030217151"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/16 15:12
S9	6944	(multiple adj access) and authenticat\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/16 15:17
S10	4490	(multiple adj access) and authenticat\$3 and (@rlad<"20030801" or @ad<"20030801")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/16 15:17
S11	67	(multiple adj access) and authenticat\$3 and (@rlad<"20030801" or @ad<"20030801") and "802.1x"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/16 16:49
S12	15	(multiple adj access) and authenticat\$3 and (@rlad<"20030801" or @ad<"20030801") and "802.1x" and vlan	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/16 15:18
S13	20	(multiple adj access) and authenticat\$3 and (@rlad<"20030801" or @ad<"20030801") and "802.1x" and authenticat\$3 and ((limit\$2 or restrict\$2) adj access)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/16 16:50
S14	9	(multiple adj access) and (support near3 "802.1x") and (@rlad<"20030801" or @ad<"20030801")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/17 12:35
S15	1932	tag and ((time adj to adj live) or ttl)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/17 10:43
S16	1091	tag and ((time adj to adj live) or ttl) and packet	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/17 10:43
S17	13974760	((multiple adj access adj point) or ap) and "802.1x" and authenticat\$3 (@rlad<"20030801" or @ad<"20030801")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/17 10:49

S18	156	((multiple adj access adj point) or ap) and "802.1x" and authenticat\$3 and (@rlad<"20030801" or @ad<"20030801")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/17 10:50
S19	0	((multiple adj access adj point) or ap) and "802.1x" and authenticat\$3 and (@rlad<"20030801" or @ad<"20030801") and semi-authorized	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/17 10:50
S20	0	((multiple adj access adj point) or ap) and "802.1x" and authenticat\$3 and (@rlad<"20030801" or @ad<"20030801") and semi \$authorized	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/17 10:50
S21	11	((multiple adj access adj point) or ap) and "802.1x" and authenticat\$3 and (@rlad<"20030801" or @ad<"20030801") and vlan and voip and internet	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/17 10:53
S22	3	ap and "802.1x" and authenticat\$3 and (@rlad<"20030801" or @ad<"20030801") and vlan and voip and internet	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/17 10:53
S23	0	(multiple adj access) and (support near3 "802.1x") and (@rlad<"20030801" or @ad<"20030801") and (low adj security adj vlan)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/17 12:35
S24	0	(multiple adj access) and (support near3 "802.1x") and (@rlad<"20030801" or @ad<"20030801") and ((low adj security) near3 vlan)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/17 12:36
S25	0	(multiple adj access) and "802.1x" and (@rlad<"20030801" or @ad<"20030801") and ((low adj security) near3 vlan)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/17 12:46
S26	0	(multiple adj access adj network) and "802.1x" and (@rlad<"20030801" or @ad<"20030801") and ((low and security) and vlan)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/17 12:47
S27	4	(multiple adj access adj network) and "802.1x" and (@rlad<"20030801" or @ad<"20030801")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/17 12:49

S28	172	(multiple adj access or ap) and "802.1x" and (@rlad<"20030801" or @ad<"20030801")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/17 12:50
S29	26	(multiple adj access or ap) and "802.1x" and (@rlad<"20030801" or @ad<"20030801") and vlan	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/17 12:57
S30	44	((@rlad<"20030801" or @ad<"20030801") and ((multiple or numerous or many) adj access adj point) and "802.1x" and authenticat\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/07/17 12:59
S31	14	((@rlad<"20030801" or @ad<"20030801") and vlan and "802.1" and voip and (multiple adj access) and authenticat\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 17:18
S32	16	((@rlad<"20030801" or @ad<"20030801") and vlan and voip and (multiple adj access) and (authenticat\$3 adj4 protocol)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 17:22
S33	20	((@rlad<"20030801" or @ad<"20030801") and (multiple adj access) and ((authenticat\$3 or binary) adj4 protocol) and vlan	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 18:06
S34	9	("2002/0022483").URPN.	USPAT	OR	ON	2008/02/13 18:40
S35	38	("20010022558" "20020034953" "20020051540" "20020063656" "20020138632" "20020188841" "20030035544" "4939726" "5243652" "5621793" "5640452" "5659617" "5754657" "5757916" "5790074" "5922073" "6012088" "6061797" "6070079" "6108365" "6115754" "6130890" "6131120" "6151631" "6167513" "6212391" "6236365" "6259404" "6286044" "6304218" "6308273" "6317500" "6327474" "6343317" "6370629" "6388618" "6460084" "6523064").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/13 18:50

S37	1	"20050073979"	USPAT	OR	ON	2008/02/13 19:00
S38	13	(@rlad<"20030801" or @ad<"20030801") and vlan and "802.1" and (support near5 authenticat\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 19:29
S39	19	(@rlad<"20030801" or @ad<"20030801") and "802.1" and (support near5 authenticat\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 19:33
S40	13	(@rlad<"20030801" or @ad<"20030801") and "802.1" and (support near10 authenticat\$3) not roese	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 19:36
S41	27	(@rlad<"20030801" or @ad<"20030801") and (support near5 authenticat\$3) and vlan not roese	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 19:39
S42	0	(@rlad<"20030801" or @ad<"20030801") and ("not" adj support) near5 authenticat\$3 not roese	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 19:54
S43	0	(@rlad<"20030801" or @ad<"20030801") and ("not" adj support)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 19:54
S44	0	(@rlad<"20030801" or @ad<"20030801") and ("not" near support)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 19:54
S45	206	(@rlad<"20030801" or @ad<"20030801") and (dont near support)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 19:54
S46	0	(@rlad<"20030801" or @ad<"20030801") and (dont near support near authenticat\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 19:55
S47	0	(@rlad<"20030801" or @ad<"20030801") and (dont near support near5 authenticat\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 19:55
S48	110916	(@rlad<"20030801" or @ad<"20030801") and (dont near support) near S36 authenticat\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 19:56
S49	0	(@rlad<"20030801" or @ad<"20030801") and (dont near support) near10 authenticat\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 19:56
S50	0	(@rlad<"20030801" or @ad<"20030801") and (dont near4 (support near5 authenticat\$4))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 19:57

S51	3067	(@rlad<"20030801" or @ad<"20030801") and (support near5 authen\$8)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 19:57
S52	6776	(@rlad<"20030801" or @ad<"20030801") and (support near5 radius)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 20:06
S53	0	(@rlad<"20030801" or @ad<"20030801") and vlan and "802.1" and (support near3 radius) near5 protocol	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 20:08
S54	2	(@rlad<"20030801" or @ad<"20030801") and vlan and "802.1" and (support near3 radius)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 20:08
S55	0	(@rlad<"20030801" or @ad<"20030801") and vlan and "802.1" and (support near3 (authentication adj protocol)) and access	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 20:11
S56	0	(@rlad<"20030801" or @ad<"20030801") and "802.1x" and semi\$authorize \$5	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 20:14
S57	0	(@rlad<"20030801" or @ad<"20030801") and "802.1x" and semi\$authorize	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 20:14
S58	0	(@rlad<"20030801" or @ad<"20030801") and "802.1" and semi\$authorize	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 20:14
S59	0	(@rlad<"20030801" or @ad<"20030801") and semi \$authorize	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/13 20:15
S60	14	(@rlad<"20030801" or @ad<"20030801") and vlan and "802.1" and (authentication adj protocol) and access	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/14 10:23
S61	76	(@rlad<"20030801" or @ad<"20030801") and vlan and (authentication adj protocol) and access	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/14 10:26
S62	864	(@rlad<"20030801" or @ad<"20030801") and (authenti\$6 near5 protocol) same (network near10 access)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 11:58
S63	119	(@rlad<"20030801" or @ad<"20030801") and (authenti\$6 near5 protocol) same (network near10 access) and "802.1x"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 11:59

S64	0	((@rlad<"20030801" or @ad<"20030801") and (authenti\$6 near5 protocol) same (network near10 access) and "802.1x" and semi\$authorize	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 11:59
S65	3	((@rlad<"20030801" or @ad<"20030801") and (authenti\$6 near5 protocol) same (network near10 access) and "802.1x" and semi	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 11:59
S66	7	((@rlad<"20030801" or @ad<"20030801") and (authenti\$6 near5 protocol) and (network near10 access) and "802.1x" and semi	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 12:07
S67	0	((@rlad<"20030801" or @ad<"20030801") and (("not" near5 support) with (authenti\$6 near5 protocol)) and "802.1x"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 12:20
S68	0	((@rlad<"20030801" or @ad<"20030801") and (("not" near5 support) with (authenti\$6 near5 protocol))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 12:20
S69	0	((@rlad<"20030801" or @ad<"20030801") and ("not" near5 support) with authenti\$6	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 12:21
S70	0	((@rlad<"20030801" or @ad<"20030801") and ("not" near5 support)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 12:21
S71	35	((@rlad<"20030801" or @ad<"20030801") and (support with (authenti\$6 near5 protocol)) and "802.1x"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 12:21
S72	1	((@rlad<"20030801" or @ad<"20030801") and (restrict same (authenti\$6 near5 protocol)) and "802.1x"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 12:42
S73	31	((@rlad<"20030801" or @ad<"20030801") and (restrict same (authenti\$6 near5 protocol))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 12:43
S74	0	((@rlad<"20030801" or @ad<"20030801") and ((restrict near5 access) same (authenti\$6 with "not"))) and protocol	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 13:41

S75	0	(@rlad<"20030801" or @ad<"20030801") and ((restrict near5 access) and (authenti\$6 with "not")) and protocol	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 13:41
S76	4772	(@rlad<"20030801" or @ad<"20030801") and (restrict near5 access) and protocol	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 13:41
S77	558	(@rlad<"20030801" or @ad<"20030801") and (restrict near5 access) and (protocol near5 authenti\$6)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 13:42
S78	0	(@rlad<"20030801" or @ad<"20030801") and (restrict near5 access) and (protocol near5 authenti\$6) and "not"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 13:42
S79	0	(@rlad<"20030801" or @ad<"20030801") and (restrict near5 access) and (protocol near5 authenti\$6) and "do not"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 13:42
S80	0	(@rlad<"20030801" or @ad<"20030801") and "do not"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 13:43
S81	387	(@rlad<"20030801" or @ad<"20030801") and "not"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 13:43
S82	1	(@rlad<"20030801" or @ad<"20030801") and (restrict near5 access) and (protocol near5 authenti\$6) and "doesn"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 13:44
S83	18	("2002/0191572").URPN.	USPAT	OR	ON	2008/08/21 13:45
S84	260	(@rlad<"20030801" or @ad<"20030801") and restrict and (network with (protocol near5 authenti\$6))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 13:46
S85	10	(@rlad<"20030801" or @ad<"20030801") and restrict same (network with (protocol near5 authenti\$6))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 13:47
S86	0	(@rlad<"20030801" or @ad<"20030801") and restrict same (network with (protocol with dosen))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 13:48
S87	104	(@rlad<"20030801" or @ad<"20030801") and (restrict with network with protocol)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 13:49

S88	8	("5884168" "6125283" "6366791" "6397054" "6415159" "6415160" "6480725" "6711262").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 13:54
S89	0	(@rlad<"20030801" or @ad<"20030801") and semi \$authori and authenticat\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 14:34
S90	0	(@rlad<"20030801" or @ad<"20030801") and semi \$authori	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 14:35
S91	16	(@rlad<"20030801" or @ad<"20030801") and authori\$6 and authenticat\$3 and (voip with vlan)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 14:35
S92	3	"10212193"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/08/21 14:47
S93	20	"5485147"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/14 17:53
S94	3	"10160125"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/14 18:17
S95	2915	(@rlad<"20030801" or @ad<"20030801") and (authenticat\$3 with user with protocol)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 10:13
S96	1075	(@rlad<"20030801" or @ad<"20030801") and ((user adj3 authenticat\$3) with protocol)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 10:13
S97	92	(@rlad<"20030801" or @ad<"20030801") and (support with (user adj3 authenticat\$3) with protocol) not roese	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 10:15
S98	5	(@rlad<"20030801" or @ad<"20030801") and (support with (user adj3 authenticat\$3) with protocol) and vlan not roese	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 10:15
S99	92	(@rlad<"20030801" or @ad<"20030801") and (support with (user adj3 authenticat\$3) with protocol) not roese	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 10:19
S100	3	(@rlad<"20030801" or @ad<"20030801") and (support with (user adj3 authenticat\$3 adj3 protocol)) not roese	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 10:20

S101	626	((@rld<"20030801" or @ad<"20030801") and (support with (user adj3 authenticat\$3)) not roese	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 10:26
S102	10	((@rld<"20030801" or @ad<"20030801") and (support with (user adj3 authenticat\$3)) and vlan not roese	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 10:27
S103	2	((@rld<"20030801" or @ad<"20030801") and (support adj3 authenticat\$3 adj3 protocol) and vlan not roese	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 10:30
S104	519	((@rld<"20030801" or @ad<"20030801") and ((user subscriber) with (support adj3 authenticat\$3)) not roese	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 10:41
S105	101	((@rld<"20030801" or @ad<"20030801") and ((user subscriber) adj6 (support adj3 authenticat\$3)) not roese	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 10:42
S106	40	((@rld<"20030801" or @ad<"20030801") and ((user subscriber) adj3 (support adj3 authenticat\$3)) not roese	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 10:42
S107	74619	((@rld<"20030801" or @ad<"20030801") and authenticat\$3 (semi adj3 authori\$6) not roese	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 10:57
S108	0	((@rld<"20030801" or @ad<"20030801") and (authenticat\$3 with (semi adj3 authori\$6)) not roese	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 10:57
S109	3	((@rld<"20030801" or @ad<"20030801") and (authenticat\$3 same (semi adj3 authori\$6)) not roese	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 10:57
S110	0	((@rld<"20030801" or @ad<"20030801") and ((user agent subscriber) adj6 ("not" adj5 support adj3 authenticat\$3))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 13:21
S111	0	((@rld<"20030801" or @ad<"20030801") and ((user agent subscriber) with ("not" adj5 support) with authenticat\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 13:22

S112	0	(@rlad<"20030801" or @ad<"20030801") and ("not" adj5 support) with authenticat\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 13:22
S113	0	(@rlad<"20030801" or @ad<"20030801") and ("not" adj5 support)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 13:22
S114	1	(@rlad<"20030801" or @ad<"20030801") and ("not" with support)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 13:23
S115	4	(@rlad<"20030801" or @ad<"20030801") and ("not" same support)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 13:24
S116	1	(@rlad<"20030801" or @ad<"20030801") and ("not" with support)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 13:41
S117	699	(@rlad<"20030801" or @ad<"20030801") and ("not" "don't") with support)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 13:42
S118	0	(@rlad<"20030801" or @ad<"20030801") and ((user agent subscriber) adj6 ("don't" adj5 support adj3 authenticat\$3))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 13:42
S119	0	(@rlad<"20030801" or @ad<"20030801") and ((user agent subscriber) adj6 ("don't" adj5 support with authenticat\$3))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 13:42
S120	0	(@rlad<"20030801" or @ad<"20030801") and ((user agent subscriber) with ("don't" adj5 support with authenticat\$3))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 13:43
S121	1727	(@rlad<"20030801" or @ad<"20030801") and ((user agent subscriber) with (support with authenticat\$3))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 13:43
S122	279	(@rlad<"20030801" or @ad<"20030801") and ((user agent subscriber) adj5 (support with authenticat\$3))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 13:43
S123	23	(@rlad<"20030801" or @ad<"20030801") and (determin\$3 adj5 (support with authenticat\$3))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/04/15 13:43
S124	1	"20070124490"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 13:17

S125	245	((@rld<"20030801" or @ad<"20030801") and ((user agent subscriber) with (support with authenticat\$3) with protocol))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 13:45
S126	16	((@rld<"20030801" or @ad<"20030801") and (user agent subscriber) with (support with authenticat\$3 with protocol with host))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 13:46
S127	3	((@rld<"20030801" or @ad<"20030801") and ((user agent subscriber) with (support with authenticat\$3 with protocol)) and "802.1")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 13:58
S128	0	((@rld<"20030801" or @ad<"20030801") and ((user agent subscriber) with (support with protocol)) same "802.1")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 14:02
S129	31	((@rld<"20030801" or @ad<"20030801") and ((user agent subscriber) with (support with protocol)) same "802")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 14:02
S130	16	((@rld<"20030801" or @ad<"20030801") and ((user agent subscriber) and (support with protocol)) same "802.1")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 14:04
S131	599	((@rld<"20030801" or @ad<"20030801") and (user agent subscriber) with support with (protocol near3 (provide network)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 14:36
S132	142382	((@rld<"20030801" or @ad<"20030801") and (user agent subscriber) with (support near5 (protocol near3 (provide network)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 14:37
S133	289	((@rld<"20030801" or @ad<"20030801") and (user agent subscriber) with (support near5 (protocol near3 (provide network)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 14:37
S134	0	((@rld<"20030801" or @ad<"20030801") and (user agent subscriber) with (support near5 (protocol near3 (provide network))) and "802.1")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 14:37

S135	62	(@rlad<"20030801" or @ad<"20030801") and (user agent subscriber) with (support near5 (protocol near3 (provide network))) and (access near3 point)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 14:38
S136	0	(@rlad<"20030801" or @ad<"20030801") and ((user agent subscriber) with (support near5 (protocol near3 (provide network))) same poll\$3) and (access near3 point)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 14:39
S137	4	(@rlad<"20030801" or @ad<"20030801") and ((user agent subscriber) with (support near5 (protocol near3 (provide network))) and poll\$3) and (access near3 point)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 14:40
S138	0	(@rlad<"20030801" or @ad<"20030801") and (poll \$3 near5 (user agent subscriber) with (support near5 (protocol near3 (provide network)))) and (access near3 point)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 14:41
S139	293	(@rlad<"20030801" or @ad<"20030801") and (poll \$3 with (user agent subscriber) with protocol)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 14:42
S140	183	(@rlad<"20030801" or @ad<"20030801") and (poll \$3 with (user agent subscriber) with protocol) and (network near5 protocol)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 14:42
S141	40	(@rlad<"20030801" or @ad<"20030801") and (poll \$3 with (user agent subscriber) with protocol) and (network near5 protocol) and authenticat\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 14:43
S142	0	(@rlad<"20030801" or @ad<"20030801") and (poll \$3 with (user agent subscriber) adj3 authentication adj3 protocol)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 14:51
S143	217	(@rlad<"20030801" or @ad<"20030801") and ((user agent subscriber) adj3 authentication adj3 protocol)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 14:52

S144	13	((@rlad<"20030801" or @ad<"20030801") and ((user agent subscriber) adj3 authentication adj3 protocol) and poll\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 14:52
S145	1	((@rlad<"20030801" or @ad<"20030801") and ((user agent subscriber) adj3 authentication adj3 protocol) and (poll\$3 near5 (user subscriber))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 14:53
S146	3	((@rlad<"20030801" or @ad<"20030801") and (((user agent subscriber) adj3 authentication adj3 protocol) with support)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 14:55
S147	3	((@rlad<"20030801" or @ad<"20030801") and (((user agent subscriber) adj3 authenticat\$3 adj3 protocol) with support)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 14:59
S148	0	((@rlad<"20030801" or @ad<"20030801") and ((user agent subscriber) adj3 support) with (network adj5 authenticat\$3 adj3 protocol)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:16
S149	318	((@rlad<"20030801" or @ad<"20030801") and (network adj5 authenticat\$3 adj3 protocol)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:16
S150	7	((@rlad<"20030801" or @ad<"20030801") and (user adj3 support) same (network with (authenticat\$3 adj3 protocol))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:17
S151	0	((@rlad<"20030801" or @ad<"20030801") and (user adj3 support) with (network with (authenticat\$3 adj3 protocol))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:17
S152	28	((@rlad<"20030801" or @ad<"20030801") and (user with (network adj3 authenticat\$3 adj3 protocol))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:29
S153	25201	((@rlad<"20030801" or @ad<"20030801") and (user with (network adj3 authenticat\$3 adj3 protocol)) adn (limit near3 access)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:30
S154	0	((@rlad<"20030801" or @ad<"20030801") and (user with (network adj3 authenticat\$3 adj3 protocol)) and (limit near3 access)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:30

S155	1	((@rlad<"20030801" or @ad<"20030801") and (user with (network adj3 authenticat\$3 adj3 protocol)) and (limit with access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:30
S156	88	((@rlad<"20030801" or @ad<"20030801") and (user with (authenticat\$3 adj3 protocol)) and (limit with access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:31
S157	60	((@rlad<"20030801" or @ad<"20030801") and (user with (authenticat\$3 adj3 protocol)) and (limit adj5 access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:31
S158	5	((@rlad<"20030801" or @ad<"20030801") and (user with (authenticat\$3 adj3 protocol)) same (limit adj5 access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:32
S159	5	((@rlad<"20030801" or @ad<"20030801") and ((user subscriber remote) with (authenticat\$3 adj3 protocol)) same (limit adj5 access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:34
S160	66	((@rlad<"20030801" or @ad<"20030801") and ((user subscriber remote) with (authenticat\$3 adj3 protocol)) and (limit adj5 access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:34
S161	6	((@rlad<"20030801" or @ad<"20030801") and ((user subscriber remote) with (authenticat\$3 adj3 protocol)) and (network adj5 limit adj5 access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:37
S162	4	((@rlad<"20030801" or @ad<"20030801") and (support with (authenticat\$3 adj3 protocol)) and (network adj5 limit adj5 access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:40
S163	4	((@rlad<"20030801" or @ad<"20030801") and (support with (authenticat\$3 near3 protocol)) and (network near5 limit adj5 access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:41
S164	11	((@rlad<"20030801" or @ad<"20030801") and (support with (authenticat\$3 protocol)) and (port near5 limit adj5 access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:44

S165	29	(@rlad<"20030801" or @ad<"20030801") and ((support\$3 match\$3) with (authenticat\$3 protocol)) and (port with (limit adj5 access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:51
S166	5	(@rlad<"20030801" or @ad<"20030801") and ((support\$3 match\$3) with (authenticat\$3 protocol)) and (port with (limit adj5 access)) and poll\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:52
S167	0	(@rlad<"20030801" or @ad<"20030801") and ((support\$3 match\$3) with (authenticat\$3 near3 protocol)) and (port with (limit adj5 access)) and poll \$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:54
S168	1	(@rlad<"20030801" or @ad<"20030801") and ((support\$3 match\$3) with (authenticat\$3 near3 protocol)) and (port with (limit adj5 access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:54
S169	1	(@rlad<"20030801" or @ad<"20030801") and (authenticat\$3 near3 protocol) with (limit near5 access)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 15:59
S170	228	(@rlad<"20030801" or @ad<"20030801") and (support near3 authenticat\$3 near3 protocol)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 16:00
S171	8	(@rlad<"20030801" or @ad<"20030801") and (user near3 support near3 authenticat\$3 near3 protocol)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 16:01
S172	8	(@rlad<"20030801" or @ad<"20030801") and (user near3 support near3 authenticat\$3 near3 protocol)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 17:01
S173	29	(@rlad<"20030801" or @ad<"20030801") and (user near5 support\$3) with (authenticat\$3 near3 protocol)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 17:08
S174	16	(@rlad<"20030801" or @ad<"20030801") and (user near5 support\$3) with (authenticat\$3 near3 protocol) and limit	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/07 17:09

S175	2	"60592414"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/02/04 17:11
S176	0	((@rlad<"20030801" or @ad<"20030801") and ((access adj3 (point node device)) with determein\$3 with (authentikat\$3 protocol)) and (port with (limit adj5 access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/07/24 16:34
S177	0	((@rlad<"20030801" or @ad<"20030801") and ((access adj3 (point node device)) with determein\$3 with (authentikat\$3 protocol))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/07/24 16:34
S178	0	((@rlad<"20030801" or @ad<"20030801") and (access adj3 (point node device)) same (determein\$3 with (authentikat\$3 protocol))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/07/24 16:34
S179	10	((@rlad<"20030801" or @ad<"20030801") and ((access adj3 (point node device)) with (authentikat\$3 protocol)) and (port with (limit adj5 access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/07/24 16:35
S180	2	((@rlad<"20030801" or @ad<"20030801") and ((access adj3 (point node device)) with (authentikat\$3 adj5 protocol)) and (port with (limit adj5 access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/07/24 16:39
S181	34	("20010051865" "20020016858" "20020133586" "20020165956" "20030110229" "20030126195" "20030145233" "20030169764" "20030200456" "20030212907" "20040054680" "20040257999" "20050060598" "5315580" "6075769" "6091725" "6151316" "6243667" "6308148" "6339830" "6363056" "6480471" "6567379" "6587432" "6633835" "6721825" "6874090" "6892309" "6894972" "6920112" "6981052" "7028337"	US-PGPUB; USPAT; USOCR	OR	ON	2010/07/24 16:41

		"7215637" "7225244").PN.				
S182	9	((@rlad<"20030801" or @ad<"20030801") and ((access adj3 (point node device)) same (support\$3 adj5 authenticat\$3 adj5 protocol))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/07/24 16:58
S183	0	((@rlad<"20030801" or @ad<"20030801") and ((access adj3 (point node device)) same (support\$3 adj5 authenticat\$3 adj5 protocol)) same ((milimited adj3 access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/07/24 17:04
S184	0	((@rlad<"20030801" or @ad<"20030801") and ((access adj3 (point node device)) same (support\$3 adj5 authenticat\$3 adj5 protocol)) and ((milimited adj3 access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/07/24 17:04
S185	0	((@rlad<"20030801" or @ad<"20030801") and ((access adj3 (point node device)) and (support\$3 adj5 authenticat\$3 adj5 protocol)) and ((milimited adj3 access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/07/24 17:04
S186	10	((@rlad<"20030801" or @ad<"20030801") and ((access adj3 (point node device)) and (support\$3 adj5 authenticat\$3 adj5 protocol)) and (limited adj3 access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/07/24 17:05
S187	0	((@rlad<"20030801" or @ad<"20030801") and ((access adj3 (point node device)) same (support\$3 adj5 authenticat\$3 adj5 protocol)) same (limited adj3 access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/07/24 17:05
S188	3	((@rlad<"20030801" or @ad<"20030801") and ((access adj3 (point node device)) same (support\$3 adj5 authenticat\$3 adj5 protocol)) and (limited adj3 access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/07/24 17:05
S189	0	((@rlad<"20030801" or @ad<"20030801") and ((sniff \$3 prob\$3 discover\$3 enquir \$3) with (support\$3 adj5 authenticat\$3 adj5 protocol)) and (limited adj3 access))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/07/27 11:41

S190	31	((@rld<"20030801" or @ad<"20030801") and ((sniff \$3 prob\$3 discover\$3 enquir\$3) with (authenticat\$3 adj5 protocol)) and (limited adj3 access)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/07/27 11:41
S191	23	((@rld<"20030801" or @ad<"20030801") and ((sniff \$3 probe probing discover\$3 enquir\$3) with (authenticat \$3 adj5 protocol)) and (limited adj3 access)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/07/27 11:42
S192	83	((@rld<"20030801" or @ad<"20030801") and ((sniff \$3 probe probing discover\$3 enquir\$3) with (authenticat \$3 adj5 protocol))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/07/27 11:47
S193	0	((@rld<"20030801" or @ad<"20030801") and ((sniff \$3 probe probing discover\$3 enquir\$3) with (authenticat \$3 adj5 protocol)) and accrss	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/07/27 11:47
S194	83	((@rld<"20030801" or @ad<"20030801") and ((sniff \$3 probe probing discover\$3 enquir\$3) with (authenticat \$3 adj5 protocol)) and access	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/07/27 11:47
S195	83	((@rld<"20030801" or @ad<"20030801") and ((sniff \$3 probe probing discover\$3 enquir\$3) with (authenticat \$3 adj5 protocol))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/07/27 11:47
S196	5778	((@rld<"20030801" or @ad<"20030801") and ((multiple or numerous or many) adj access adj point) and "802.1x" and authenticat \$3 and 370/449.ccls. or 709/216.ccls. or 726/4,27. ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/07/29 15:25
S209	4	"11089759"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/20 12:02
S210	1	"10977245"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/20 12:07

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp

L6	0	((authentication adj2 protocol) and (poll\$3 adj5 device) and (validat\$3 adj2 identity) and (semi\$authoriz\$5)).clm.	USPAT; UPAD	OR	ON	2010/11/14 15:51
L7	0	((support adj5 authentication adj2 protocol) and (semi \$authoriz\$5) and (limited adj3 access)).clm.	USPAT; UPAD	OR	ON	2010/11/14 15:52
S197	3473	(@rlad<"20030801" or @ad<"20030801") and 370/449.ccls. or 709/216.ccls. or 726/4,27.ccls.	USPAT; UPAD	OR	ON	2010/07/29 15:25
S198	3049	(@rlad<"20030801" or @ad<"20030801") and ((multiple or numerous or many) adj access adj point) and "802.1x" and authenticat \$3 and 370/449.ccls. or 709/216.ccls. or 726/4,27.ccls.	USPAT; UPAD	OR	ON	2010/07/29 15:25
S199	0	(@rlad<"20030801" or @ad<"20030801") and (370/449.ccls. or 709/216.ccls. or 726/4,27.ccls.) and "sensing a user device coupled to a port of the network access device"	USPAT; UPAD	OR	ON	2010/07/29 15:26
S200	0	(@rlad<"20030801" or @ad<"20030801") and (370/449.ccls. or 709/216.ccls. or 726/4,27.ccls.) and "device supports a user authentication protocol used by the host network"	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/29 15:27
S201	0	(@rlad<"20030801" or @ad<"20030801") and (370/449.ccls. or 709/216.ccls. or 726/4,27.ccls.) and "user device does not support the user authentication protocol"	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/29 15:28
S202	0	(@rlad<"20030801" or @ad<"20030801") and (370/449.ccls. or 709/216.ccls. or 726/4,27.ccls.) and "port into a semi-authorized access state"	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/29 15:29
S203	3573	(@rlad<"20030801" or @ad<"20030801") and 370/449.ccls. or 709/216.ccls. or 726/4,27.ccls.	USPAT; UPAD	OR	ON	2010/09/20 03:15

S204	3149	(@rlad<"20030801" or @ad<"20030801") and ((multiple or numerous or many) adj access adj point) and "802.1x" and authenticat \$3 and 370/449.ccls. or 709/216.ccls. or 726/4,27.ccls.	USPAT; UPAD	OR	ON	2010/09/20 03:15
S205	0	(@rlad<"20030801" or @ad<"20030801") and (370/449.ccls. or 709/216.ccls. or 726/4,27.ccls.) and "sensing a user device coupled to a port of the network access device"	USPAT; UPAD	OR	ON	2010/09/20 03:15
S206	0	(@rlad<"20030801" or @ad<"20030801") and (370/449.ccls. or 709/216.ccls. or 726/4,27.ccls.) and "device supports a user authentication protocol used by the host network"	US-PGPUB; USPAT; UPAD	OR	ON	2010/09/20 03:16
S207	0	(@rlad<"20030801" or @ad<"20030801") and (370/449.ccls. or 709/216.ccls. or 726/4,27.ccls.) and "user device does not support the user authentication protocol"	US-PGPUB; USPAT; UPAD	OR	ON	2010/09/20 03:16
S208	0	(@rlad<"20030801" or @ad<"20030801") and (370/449.ccls. or 709/216.ccls. or 726/4,27.ccls.) and "port into a semi-authorized access state"	US-PGPUB; USPAT; UPAD	OR	ON	2010/09/20 03:16

11/ 14/ 2010 3:53:53 PM

C:\ Documents and Settings\ schan1\ My Documents\ EAST\ Workspaces\ 10631898 Multiple Access. wsp